



# METALLISMO™

THE NEW GENDER OF MOSAIC

SICIS  
THE ART FACTORY














# METALLISMO™



by SICIS

# Touch! It's Met



**It's red®**

Red is the colour of our  
exclusive backing process

# characteristics a



# allismo™ Charm



nd technical data



# characteristics and technical data



## Product

Mosaic collection in steel and brass on a red two-component polyurethane resin support which identifies the Sicis Metallismo product, the outcome of a patented advanced and technological process. Laboratory tests (on resistance to separation) have proved the perfect and long-lasting cohesion between the metal and the red support. The standard production uses Inox Steel Aisi 304 (thickness 6/10). Other characteristics specific to this product are shown in the non-oxidisation of its steel surface, in its resistance to scratching and to staining, as well as in its lightness and flexibility. The collection is composed of six differnt formats for seven different surface types.

## Possible Aesthetic Enrichment

Infinite. The section dedicated to decoration speaks for itself, numerous combinations simply linking together different formats with different finishes.

## Applications

Horizontal and vertical decoration of public offices and every type of private development: commercial areas, even those heavily trafficked; residential buildings of every form; hotel and tourist structures.

For applications in the Aquatic and Swimming Pool sector there is available upon request the high-tech range (Inox Aisi 316) resistant to the possible attack of corrosive agents, inevitably present in these sectors.

For applications on heating cement backing surfaces please contact us before any use.

## Size and Weight

|                               |                             |
|-------------------------------|-----------------------------|
| *tesserae thickness           | 4mm                         |
| *Pre-assemblage               | Mounted on fibre-glass mesh |
| *Joints pre-assemblage        | 2mm                         |
| *Weight per m²                | 8kg average                 |
| • Tesserae format             | <i>different for every</i>  |
| • Sheet format pre-assemblage | <i>tesserae format</i>      |
| • Number of sheets per m²     | <i>refer to</i>             |
| • m² per box                  | <i>packing card</i>         |

## Maintenance

To clean the mosaic use either specific products for steel surfaces or normal commercial detergents for hard surfaces, free of HCl. Completely avoid alkaline detergents, too much water, domestic abrasives such as coarse sponges, pumices, wire wool etc.

## Technical Data from Laboratory Tests

*(Istituto Giordano, Bellaria, Italy - May 2002  
Centro Ceramico, Bologna, Italy - February 2001, May 2002)*

Coefficient of linear thermal expansion  
(UNI EN 103-92) to 10<sup>-6</sup> °C From 11.9 to 14.3

Definition of resistance to dynamic impact and to rolling  
(CSTB 3243 #7.8/2000, annex 6)  
Fixed using Latapoxy 300 and sealant Latapoxy SP100/ Laticrete Resistant

Definition of chemical resistance  
(ISO 10545/13.8) (possible alterations with HCl) Resistant

Definition of stain resistance  
(CCB T 040193/R.S.UGL.) Resistant (class 6)

Definition of stain resistance after simple and chemical  
abrasive action  
Abrasion (UNI EN 154) PEI IV  
Abrasion (ISO 10545/7) PEI 5  
Stains (CCB T/Re.C.A. 010696) Resistant (class 6)  
Cleaning with normal commercial  
detergents for hard surfaces, free of HCl

Definition of slip resistance  
(DIN 51130) R9

Definition of the coefficient of slipperiness  
(B.C.R.REP.CEC.6/81)  
Rubber on wet surface 0.44  
Rubber on dry surface 0.51

Definition of the coefficient of static friction  
(ASTM C 1028/96)  
Wet surface 0.54  
Dry surface 0.79

Resistance to insulation  
(UNI EN 1348/97-8)  
Fixed with adhesive Latapoxy 300 and sealant Latapoxy SP100/Laticrete Ω > 10<sup>9</sup>

Resistance to separation  
(UNI EN 1348/97 #8.2 8.3 8.4 8.5)  
Fixed with adhesive Latapoxy 300 and sealant Latapoxy SP100/Laticrete N/mm² 2.5

Assessment of the fire reactivity class  
(UNI 8457 and 8457/A1 - UNI 9174 and 9174/A1 - UNI 9177) Class 1

Assessment, in case of fire, of the toxicity of gases in a non-renewed atmosphere  
(ATS 1000.001 - Issue 4) Within established limits







**Touch!**  
It's Metallismo™ Charm

**characteristics**  
and technical data

**reflections**

**modern living**

**iridescences**

**interiors**

PAGE **4**

PAGE **6**

PAGE **14**

PAGE **40**

PAGE **62**

PAGE **86**

# CONTENTS

PAGE 112

PAGE 130

PAGE 142

PAGE 158

PAGE 160

PAGE 163

**hospitality**

**commercial**

**materials  
and  
finishings**

**mouldings**

**packing  
details**

**installation**





**B**eneath its cool exterior is metal's undeniable magnetic power to attract like no other element. No longer reserved for functional, industrial usage, metal is more: A signature for the ultimate in hip, modern design.

Recognized for its innovative arts, marble and glass mosaics, SICIS molds metal into modern art with the introduction of Metallismo, the first metal mosaic tile collection available in the world.

Electric, reflective and exciting, Metallismo's daringly sleek Italian style is not for the faint of heart. Lustrous steel and brass pieces are molded into an eclectic mix of shapes, sizes and finishes, each making their own bold statement, pushing the limits of decor. Metallismo blends with a variety of interior fashion motifs, lending its own viewpoint to retro, elemental, monochromatic and industrial design themes – an especially good match with the modern appliances and fixtures of today's professional-styled architecture.

Metallismo mosaics are available in finishes of brushed stainless steel, dotted stainless steel and brass. Shapes and sizes include: 3/4" squares, mini bricks, ovals, rhomboids, dots, elongated-octagons, herringbone, basketweave; 25/8" squares; and large format rectangles ranging from 2 5/8" x 7" to 10" x 15".

Each piece of metal is backed by a red two-component polyurethane resin support and through an exclusive patented process it prevents metal conductivity.

Small mosaics are mesh mounted for easy installation.



# reflections







**Metallismo**: tessera shiny 04 mm. 64 x 20 - 2 1/2" x 3/4"

**Metallismo**: tessera shiny 04 mm. 64 x 20 - 2 1/2" x 3/4"  
**Metallismo**: tessera gilt 03 mm. 20 x 20 - 3/4" x 3/4"














**Metallismo™: tessera speckle 03**  
mm. 295 x 295 - 11<sup>5</sup>/<sub>8</sub>" x 11<sup>5</sup>/<sub>8</sub>"



**Metallismo™: slab smooth S**  
mm. 62,4 x 62,4 - 2<sup>5</sup>/<sub>8</sub>" x 2<sup>5</sup>/<sub>8</sub>"



**Metallismo™: slab net M**  
mm. 189,7 x 62,4 - 2<sup>5</sup>/<sub>8</sub>" x 7"



**Metallismo™: slab net L**  
mm. 380,6 x 126,1 - 5" x 15"
















**Metallismo**: tessera shiny 04 mm. 64 x 20 - 2<sup>1</sup>/<sub>2</sub>" x 3<sup>3</sup>/<sub>4</sub>"  
**Metallismo**: tessera gilt 03 mm. 20 x 20 - 3<sup>3</sup>/<sub>4</sub>" x 3<sup>3</sup>/<sub>4</sub>"

**Metallismo**: tessera speckle 04 mm. 64 x 20 - 2<sup>1</sup>/<sub>2</sub>" x 3<sup>3</sup>/<sub>4</sub>"



Metallismo<sup>®</sup>: tessera shiny 02 mm. 23 x 40 - 7/8" x 15/8"  
Metallismo<sup>®</sup>: tessera gilt 02 mm. 23 x 40 - 7/8" x 15/8"



Metallismo<sup>®</sup>: tessera speckle 04 mm. 64 x 20 - 2 1/2" x 3/4"













**Metallismo<sup>®</sup>:** *tessera shiny 04*  
mm. 64 x 20 - 2 1/2" x 3/4"  
**Metallismo<sup>®</sup>:** *tessera gilt 03*  
mm. 20 x 20 - 3/4" x 3/4"



**Metallismo<sup>®</sup>:** *tessera gilt 03 mm. 20 x 20 - 3/4" x 3/4"*





















**Metallismo**: tessera dot 02  
mm. 23 x 40 - 7/8" x 1 5/8"



























Metallismo™: *tessera smooth* 03 mm. 20 x 20 - 3/4" x 3/4"

Metallismo™: *tessera smooth* 05 mm. 30 x 20 - 1 1/8" x 3/4"



A photograph of a modern living room interior. In the foreground, a dark brown velvet sofa is partially visible. Behind it, a light beige sofa with a grey fabric insert is positioned. The floor is covered with a grey and white geometric patterned rug. A black vertical bar is on the left side of the image. The text "modern living" is overlaid in white on the left side.

modern living







Metallismo™: tessera blot 04 mm. 64 x 20 - 2 1/2" x 3/4"























Toyo Kitchen Style







**Metallismo™:** tessera shiny 04 mm. 64 x 20 - 2 1/2" x 3/4"






































**Metallismo™: tessera speckle 03**  
mm. 295 x 295 - 11<sup>5</sup>/<sub>8</sub>" x 11<sup>5</sup>/<sub>8</sub>"



**Metallismo™: slab net L**  
mm. 380,6 x 126,1 - 5" x 15"



**Metallismo™: slab net M**  
mm. 189,7 x 62,4 - 2<sup>5</sup>/<sub>8</sub>" x 7"



**Metallismo™: slab net S**  
mm. 62,4 x 62,4 - 2<sup>5</sup>/<sub>8</sub>" x 2<sup>5</sup>/<sub>8</sub>"







iridescences







Metallismo®: *slab speckle XL* mm. 380,6 x 253,4 - 10" x 15"  
 Metallismo®: *skirting* mm. 300 x h100 - 12" x h 4"



Metallismo®: *slab blot XL*  
 mm. 380,6 x 253,4 - 10" x 15"









































**Metallismo™:** *tessera shiny 05 mm. 30 x 20 - 1 1/8" x 3/4"*














































**Metallismo™:** tessera net 01 mm. 50 x 21 - 2" x 7/8"



**Metallismo™:** tessera net 05 mm. 30 x 20 - 1 1/8" x 3/4"

**Metallismo™:** tessera net 06 mm. 40 x 90 - 1 5/8" x 3 1/2"

interiors














**Metallismo™: tessera speckle 03**  
mm. 295 x 295 - 11<sup>5</sup>/<sub>8</sub>" x 11<sup>5</sup>/<sub>8</sub>"




**Metallismo™: slab smooth L**  
mm. 380,6 x 126,1 - 5" x 15"








Photo: Laura Ronchi



















**Metallismo™: tessera shiny 03**  
mm. 295 x 295 - 11<sup>5</sup>/<sub>8</sub>" x 11<sup>5</sup>/<sub>8</sub>"



**Metallismo™: slab net L**  
mm. 380,6 x 126,1 - 5" x 15"




















**Metallismo™:** tessera smooth 02 mm. 23 x 40 - 7/8" x 15/8"

**Metallismo™:** tessera smooth 03 mm. 20 x 20 - 3/4" x 3/4"

**Metallismo™:** tessera smooth 04 mm. 64 x 20 - 2 1/2" x 3/4"

**Metallismo™:** tessera smooth 05 mm. 30 x 20 - 1 1/8" x 3/4"  
**Metallismo™:** tessera smooth 06 mm. 49 x 90 - 1 5/8" x 3 1/2"





Metallismo™: slab net L  
mm. 380,6 x 126,1 - 5" x 15"













**Metallismo™:** tessera dot 02 mm. 23 x 40 - 7/8" x 1 5/8"



**Metallismo™:** tessera dot 01 mm. 50 x 21 - 2" x 7/8"

























# hospitality





Wall: Metallismo™ tessera smooth 04  
mm. 64 x 20 - 2 1/2" x 3/4"



Metallismo™: tessera smooth 04  
mm. 64 x 20 - 2 1/2" x 3/4"







































**Metallismo™:** *tessera smooth L*  
**Iridium Mosaic Collection:** *dahlia 4 and zinnia 2*










Photo Franco Capra







*Earthly Paradise: Beyond the Mirror by Studio Marco Piva*

**Metallismo™: tessera shiny 05 and dot 04**  
**Iridium Mosaic Collection**  
**Marble Mosaic Collection**

commercial















































# materials and finishings




**shiny 01** mm. 268 x 284 -  $10\frac{1}{2}'' \times 11\frac{1}{8}''$




**shiny 02** mm. 264 x 282 -  $10\frac{3}{8}'' \times 11\frac{1}{8}''$



**shiny 03** mm. 295 x 295 -  $11\frac{5}{8}'' \times 11\frac{5}{8}''$



**shiny 04** mm. 295 x 306 -  $11\frac{5}{8}'' \times 12''$



**shiny 05** mm. 302 x 306 -  $11\frac{7}{8}'' \times 12''$




**shiny 05 - 06** mm. 276 x 264 -  $10\frac{7}{8}'' \times 10\frac{3}{8}''$





**skirting** mm. 300 x h 100 - 12" x h 4"  
(available shiny finishing only)




**smooth 01** mm. 268 x 284 -  $10\frac{1}{2}''$  x  $11\frac{1}{8}''$




**smooth 02** mm. 264 x 282 -  $10\frac{3}{8}''$  x  $11\frac{1}{8}''$



**smooth 03** mm. 295 x 295 -  $11\frac{5}{8}''$  x  $11\frac{5}{8}''$



**smooth 04** mm. 295 x 306 -  $11\frac{5}{8}''$  x  $12''$



**smooth 05** mm. 302 x 306 -  $11\frac{7}{8}''$  x  $12''$




**smooth 05 - 06** mm. 276 x 264 -  $10\frac{7}{8}''$  x  $10\frac{3}{8}''$





**smooth S** mm. 62,4 x 62,4 - 2<sup>5/8</sup>" x 2<sup>5/8</sup>"




**smooth M** mm. 189,7 x 62,4 - 7" x 2<sup>5/8</sup>"




**smooth L** mm. 380,6 x 126,1 - 15" x 5"




**smooth XL** mm. 380,6 x 253,4 - 15" x 10"




**gilt 01** mm. 268 x 284 -  $10\frac{1}{2}''$  x  $11\frac{1}{8}''$




**gilt 02** mm. 264 x 282 -  $10\frac{3}{8}''$  x  $11\frac{1}{8}''$




**gilt 03** mm. 295 x 295 -  $11\frac{5}{8}''$  x  $11\frac{5}{8}''$



**gilt 04** mm. 295 x 306 -  $11\frac{5}{8}''$  x  $12''$



**gilt 05** mm. 302 x 306 -  $11\frac{7}{8}''$  x  $12''$




**gilt 05 - 06** mm. 276 x 264 -  $10\frac{7}{8}''$  x  $10\frac{3}{8}''$










**net 01** mm. 268 x 284 -  $10^{5/2}$ " x  $11^{1/8}$ "



**net 02** mm. 264 x 282 -  $10^{3/8}$ " x  $11^{1/8}$ "




**net 03** mm. 295 x 295 -  $11^{5/8}$ " x  $11^{5/8}$ "



**net 04** mm. 295 x 306 -  $11^{5/8}$ " x  $12$ "



**net 05** mm. 302 x 306 -  $11^{7/8}$ " x  $12$ "



**net 05 - 06** mm. 276 x 264 -  $10^{7/8}$ " x  $10^{3/8}$ "






**net S** mm. 62,4 x 62,4 - 2<sup>5/8</sup>" x 2<sup>5/8</sup>"




**net M** mm. 189,7 x 62,4 - 7" x 2<sup>5/8</sup>"




**net L** mm. 380,6 x 126,1 - 15" x 5"




**net XL** mm. 380,6 x 253,4 - 15" x 10"



**blot 01** mm. 268 x 284 -  $10\frac{1}{2}''$  x  $11\frac{1}{8}''$




**blot 02** mm. 264 x 282 -  $10\frac{3}{8}''$  x  $11\frac{1}{8}''$



**blot 03** mm. 295 x 295 -  $11\frac{5}{8}''$  x  $11\frac{5}{8}''$



**blot 04** mm. 295 x 306 -  $11\frac{5}{8}''$  x  $12''$



**blot 05** mm. 302 x 306 -  $11\frac{7}{8}''$  x  $12''$



**blot 05 - 06** mm. 276 x 264 -  $10\frac{7}{8}''$  x  $10\frac{3}{8}''$





**blot S** mm. 62,4 x 62,4 - 2<sup>5</sup>/<sub>8</sub>" x 2<sup>5</sup>/<sub>8</sub>"




**blot M** mm. 189,7 x 62,4 - 7" x 2<sup>5</sup>/<sub>8</sub>"



**blot L** mm. 380,6 x 126,1 - 15" x 5"



**blot XL** mm. 380,6 x 253,4 - 15" x 10"




**dot 01** mm. 268 x 284 -  $10^{5/2}''$  x  $11^{1/8}''$



**dot 02** mm. 264 x 282 -  $10^{3/8}''$  x  $11^{1/8}''$



**dot 03** mm. 295 x 295 -  $11^{5/8}''$  x  $11^{5/8}''$



**dot 04** mm. 295 x 306 -  $11^{5/8}''$  x  $12''$



**dot 05** mm. 302 x 306 -  $11^{7/8}''$  x  $12''$




**dot 05 - 06** mm. 276 x 264 -  $10^{7/8}''$  x  $10^{3/8}''$





**dot S** mm. 62,4 x 62,4 - 2<sup>5/8</sup>" x 2<sup>5/8</sup>"




**dot M** mm. 189,7 x 62,4 - 7" x 2<sup>5/8</sup>"




**dot L** mm. 380,6 x 126,1 - 15" x 5"




**dot XL** mm. 380,6 x 253,4 - 15" x 10"




**speckle 01** mm. 268 x 284 -  $10\frac{1}{2}''$  x  $11\frac{1}{8}''$



**speckle 02** mm. 264 x 282 -  $10\frac{3}{8}''$  x  $11\frac{1}{8}''$



**speckle 03** mm. 295 x 295 -  $11\frac{5}{8}''$  x  $11\frac{5}{8}''$



**speckle 04** mm. 295 x 306 -  $11\frac{5}{8}''$  x  $12''$



**speckle 05** mm. 302 x 306 -  $11\frac{7}{8}''$  x  $12''$



**speckle 05 - 06** mm. 276 x 264 -  $10\frac{7}{8}''$  x  $10\frac{3}{8}''$





**speckle S** mm. 62,4 x 62,4 - 2<sup>5/8</sup>" x 2<sup>5/8</sup>"



**speckle M** mm. 189,7 x 62,4 - 7" x 2<sup>5/8</sup>"






**speckle L** mm. 380,6 x 126,1 - 15" x 5"






**speckle XL** mm. 380,6 x 253,4 - 15" x 10"

07




08



07 finishing available: **smooth**






08 finishings available: **shiny - smooth**








09



09 finishings available: **shiny - smooth**










010









010 finishings available: **shiny - smooth**



|                                                                                     |                                                                                     | Format code | Tesserae format             | Sheet format pre-assemblage       | Sheets per box | Sqm. per box |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|-----------------------------|-----------------------------------|----------------|--------------|
|    |    | 01          | mm. 50 x 21 - 2" x 7/8"     | mm. 268 x 284 - 10 1/2" x 11 1/8" | 22             | 1,5          |
|    |    | 05          | mm. 30 x 20 - 1 1/8" x 3/4" | mm. 286 x 306 - 11 1/4" x 12"     | 22             | 1,95         |
|    |    | 02          | mm. 23 x 40 - 7/8" x 1 5/8" | mm. 264 x 282 - 10 3/8" x 11 1/8" | 22             | 1,48         |
|    |    | 02          | mm. 23 x 40 - 7/8" x 1 5/8" | mm. 262 x 263 - 10 3/8" x 10 3/8" | 22             | 1,48         |
|  |  | 02          | mm. 23 x 40 - 7/8" x 1 5/8" | mm. 283 x 238 - 11 1/8" x 9 3/8"  | 22             | 1,33         |
|  |  | 03          | mm. 20 x 20 - 3/4" x 3/4"   | mm. 295 x 295 - 11 5/8" x 11 5/8" | 22             | 2            |
|  |  | 04          | mm. 64 x 20 - 2 1/2" x 3/4" | mm. 295 x 306 - 11 5/8" x 12"     | 22             | 1,99         |



| Format code                                                                         |                                                                                     | Tesserae format | Sheet format pre-assemblage                                     | Sheets per box | Sqm. per box |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------|----------------|--------------|
|    |    | 04              | mm. 64 x 20 - 2 1/2" x 3/4" mm. 262 x 262 - 10 3/8" x 10 3/8"   | 22             | 1,53         |
|                                                                                     |                                                                                     |                 |                                                                 |                |              |
|    |    | 04              | mm. 64 x 20 - 2 1/2" x 3/4" mm. 293 x 293 - 11 1/2" x 11 1/2"   | 22             | 1,53         |
|                                                                                     |                                                                                     |                 |                                                                 |                |              |
|    |    | 04              | mm. 64 x 20 - 2 1/2" x 3/4" mm. 284 x 284 - 11 1/8" x 11 1/8"   | 22             | 1,53         |
|                                                                                     |    | 03              | mm. 20 x 20 - 3/4" x 3/4"                                       |                |              |
|    |    | 04              | mm. 64 x 20 - 2 1/2" x 3/4" mm. 286 x 262 - 11 1/4" x 10 3/8"   | 22             | 1,53         |
|                                                                                     |    | 03              | mm. 20 x 20 - 3/4" x 3/4"                                       |                |              |
|   |  | 05              | mm. 30 x 20 - 1 1/8" x 3/4" mm. 302 x 306 - 10 7/8" x 12"       | 22             | 1,95         |
|                                                                                     |                                                                                     |                 |                                                                 |                |              |
|  |  | 06              | mm. 40 x 90 - 1 5/8" x 3 1/2" mm. 276 x 264 - 10 7/8" x 10 3/8" | 22             | 1,39         |
|                                                                                     |  | 05              | mm. 30 x 20 - 1 1/8" x 3/4"                                     |                |              |

|                                                                                   | Format code | Slab format                     | Pieces per box | Sqm. per box |
|-----------------------------------------------------------------------------------|-------------|---------------------------------|----------------|--------------|
|  | S           | mm. 62,4 x 62,4 - 25/8" x 25/8" | 480            | 1,87         |
|  | M           | mm. 189,7 x 62,4 - 7" x 25/8"   | 160            | 1,89         |
|  | L           | mm. 380,6 x 126,1 - 15" x 5"    | 40             | 1,92         |
|  | XL          | mm. 380,6 x 253,4 - 15" x 10"   | 20             | 1,92         |

|                                                                                     | Format code | Slab format              | Pieces per box | LM. per box |
|-------------------------------------------------------------------------------------|-------------|--------------------------|----------------|-------------|
|  | skirting    | mm. 300 x 100 - 12" x 4" | 46             | 13,8        |



## LAYING



## GROUTING



## CLEANING



Additional and more detailed technical informations are available on laying instructions sheet put into every carton box. This sheet is available on prior demand to our offices

*Informazioni tecniche più dettagliate sono contenute nella scheda di posa, inserita in ogni scatola di materiale. La scheda può anche essere richiesta preventivamente ai nostri uffici commerciali.*



## NOTIFICHE LEGALI

Il presente catalogo è fornito gratuitamente, ma è e rimane proprietà Sisis e non può quindi essere oggetto di vendita. Nessuna parte del catalogo può essere riprodotta senza autorizzazione scritta di Sisis.

Non esistono altre licenze, né implicite né espresse, per riprodurre una qualsiasi parte del presente catalogo o di qualsiasi disegno di mosaico in esso contenuto, al di fuori della licenza scritta e firmata da Sisis. Il contenuto del presente catalogo è protetto dalle leggi sul Copyright, comprese le foto e i disegni dei mosaici.

**SICIS** è un marchio registrato da Sisis S.r.l.

Sisis si riserva tutti i diritti del presente catalogo e dei disegni dei mosaici illustrati, compreso il diritto di aderire le vie legali contro le infrazioni al Copyright.

## LEGAL NOTICES

This catalogue has been provided to you free of charge, but it is and remains the property of Sisis and cannot be sold. You may not reproduce any part of this catalogue without the written authorization of Sisis.

There are no licenses, either implied or expressed, to reproduce any part of this catalogue or any of the mosaic designs unless the license is in writing and signed by Sisis. Copyright Laws protect the content of this catalogue, including the photographs and the Sisis mosaic designs.

**SICIS** is trademark of Sisis S.r.l.

Sisis explicitly reserves all rights to this catalogue and the mosaic designs therein, including the right to bring legal action for Copyright infringement.

© 2002-03-05-07-08  
Sisis s.r.l. Ravenna, Italy  
November 2008

## SICIS ITALY

**Showroom** · Via Fatebenefratelli, 8 · 20121 Milano (Italy)  
Ph. +39 02 876099 · Fax +39 02 72096853  
**Factory** · Ravenna (Italy) · Fax +39 0544 469811

## SICIS NORTH AMERICA

**Showroom and Offices** · 470 Broome Street · New York, NY 10013  
Toll free number (877) 839 - 8900 · Fax 212 343 7065

www.sicis.com · info@sicis.com

